

PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

Inspection Performa for Grant of Affiliation for Diploma in Pharmacy for **Academic Session 2021-22**

CATEGORY OF AFFILIATION APPLIED FOR: - NEW AFFILIATION / EXTENSION OF APPROVAL

Name of the Ins	titute:			
Date of Inspecti	on:/			
Details of Inspec	ction Committee			
	Name	Designation	Organisation	Signature
Convener				
Member-1				
Member-2				
				<u>I</u>
Following documen	nts must be provided at	t the time of Inspe	ection:	
2. Copy of Affiliatio	lication submitted online on Performa submitted to t document demanded by	Board along with		
Following documen	nts to be attached with	Inspection report	:	
	* *		-21 to be attached with Inspe	•
2. Copy of AICTE/P	CI extension of approva	al for session 2021	-22 to be attached with Inspe	ection report

3. Any other relevant document demanded by Inspection Team

Convener

Signature Member-2

Member-1

1



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

PART-A

GENERAL INFORMATION (To be filled in by the Institute)					
Name of the Institute					
Complete Postal Address					
Phone No.					
E-mail					
Website					
Year of Establishment					
Status of affiliation 2020-21 (Approved/Conditionally approved/Partially Approved/Not approved)					
Status of Society/Trust/Management (Government/Autonomous/Aided/Private)					
Name & Address of the Society/Trust/Management					
Name of the Principal Qualificatiom Phone No. E-mail					
Details of affiliation fee paid	Amount:				
Land Details (Required) Ownership of Land (Govt./Private/Leased)	Land Details (Available) Type of Institute Urban Rural				

~.			
Signature			
	Convener	Member-1	Member-2



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

	LAND & BUILDING	G REQUIREMENT	S
Sr.	Discription	Availability	Remarks by Inspection
No.		[YES / NO]	Team
1.	Change of Land Use Certificate (CLU)		
2.	Khasra Plan / Master Plan		
3.	Site Plan		
4.	Building Plan		
5.	Occupancy certificate		
6.	Structural stability certificate issued by Registered Structural Engineer		
7.	NOC from Local Fire Service Authorities		
8.	Whether Ramp provided for PWD for easy		
	access to and evacuation from the		
	building?		
9.	CCTV Camera details for Examination		
	ESSENTIAL RI	EQUIREMENTS	
Sr.	Description	Availability	Remarks by Inspection
No		[YES / NO]	Team
1.	Display of information submitted to PCI		
	(including the accreditation status and Board of Governors) along with mandatory		
	disclosures in the Web site of the		
	Institution.		
2.	Establishment of Online Grievance		
3.	Redressal Mechanism Establishment of Anti Regging Committee		
4.	Establishment of Anti Ragging Committee Establishment of Grievance Redressal		
	Committee in the Institution and		
	Appointment of OMBUDSMAN by the		
_	University.		
5.	Establishment of Internal Complaint Committee (ICC)		
6.	Establishment of Committee for SC/ST		
	(As per the Scheduled Castes and the		
	Scheduled Tribes (Prevention of		
	Atrocities) Act, 1989, No. 33 of 1989, dated11.09.1989)		
7.	Barrier Free Built Environment for		
, .	disabled and elderly persons		
8.	Fire and Safety Certificate		
	-		

Signature			•••••
_	Convener	Member-1	Member-2

9.	Implementation of examination reforms	
10.	Safety and Security measures in the Campus	
11.	Implementation of Food Safety and Standards Act, 2006 at the Institution	
12.	Digital payment for all financial transactions as per MHRD directives	
13.	Standalone Language Laboratory	
14.	Potable Water supply and outlets for drinking water at strategic locations	
15.	Electrical Grid Power Supply Connection	
16.	Backup Electric Supply	
17.	Sports facilities	
18.	Sewage Disposal System	
19.	First aid, Medical and Counselling Facilities	
20.	Students Safety Insurance	
21.	Group Accident Policy to be provided for the employees	
22.	General Insurance provided for assets against fire, burglary and other calamities	
23.	Road suitable for use by Motor vehicle- Motorized Road	
24.	Copies of PCI approvals (LoA and EoA of subsequent years) obtained since inception of the Institution till date shall be placed on the Web site of the Institution	
25.	Appointment of Student Counsellor	
26.	Telephone	
27.	Vehicle Parking	
28.	General Notice Board and Departmental Notice Boards	

Signature			
	Convener	Member-1	Member-2



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

STAFF STATUS & REQUIREMENT

				PRINCIPAL		
Name						
Date of B	irth					
Qualificat	ion					
Total Experience (in years)		Teachi	ng: Ind	ustry:	Others:	
Date of appointment in the institute						
Year of award of highest degree		ghest degree				
Whether I	Principal o	f the Institute was	present a	at the time of Inspe	ection:	Yes/No
	FACU	JLTY DETAILS	S (All the	e Faculty should be	appointe	ed as per norms of PCI)
Name of	Faculty	Qualification		Experience]	Remarks by Inspection Team
Men	nber					
2.	Attach full		alificatio	on, date of joining, d	epartment	, scale of pay, total salary, Aadhar,
PA	AN, Bank A	account along with B		e) and staff attendan		of previous month as Annexure
S. No.		Staff		Qualification		Nos available
1	Librarian	<u> </u>				
2	Assistant	Librarian				
3.	Technica	1 Supporting Staff		Attach List		
(Laboratory staff details)						
4. Office Staff			Attach List			
5.	Supportin	ng Staff		Attach List		
6.	Others			Attach List		
		<u> </u>	-		-	<u> </u>

Signature	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

INFRASTRUCTURAL FACILITIES

Norms for Built-up area for Diploma Level Pharmacy Institution (for Diploma Courses as per PCI)

	PHYSICAL INFRAS	RUCTURE - CO	MPLETE DET	ΓAI	LS OF BUILT	-UP	AREA
			FIRST YEAR &				
S. No	Built-up (Carpet) Area	Required Area [sq.m] as per PCI	Available Area [sq.m]		ortfall, if any	Re	marks by pection Team
(a)	Instructional area [INA]						
(b)	Administrative area [ADA]						
(c)	Amenities area [AMA]						
(d)	Circulation area [CIA]						
	= 0.25 x $+ADA+AMA)]$	TOTAL AREA:					
	ADMINISTRATIVE	AREA REQUIR	EMENT FOR I	IPI	LOMA IN PHA	ARN	MACY
	Particulars	Number of rooms required	Minimum Car Area require	•	Carpet Area available		Remarks by Inspection Team
Principal / Director room		01	30 sqm				
Boar	rd room	01	20 sqm				
Offic	ce all inclusive	01	150 sqm				
Cabi	ins for HOD's	01	20 sqm				
Facu	ılty rooms	05	05 sqm each				
Cent	tral stores	01	30 sqm				
Maiı	ntenance Room	01	10 sqm				
	rity Room	01	10 sqm				
	sekeeping Room	01	10 sqm				
	ry for staff (Desirable)	01	10 sqm				
	mination control office	01	30 sqm				
Plac	ement office	01	30 sqm				
IN	MPORTANT INFRAST	RUCTURE REQ	UIREMENT FO	OR 1	DIPLOMA IN	PH	ARMACY
	Particulars	Number of rooms required	Minimum Car Area required		Carpet Area available		Remarks by Inspection Team
Com	puter Centre inclusive of		75 sqm				
	guage Laboratory						
Libr	ary	01	150 sqm				
Sem	inar Hall	01	132 sqm				
Sma	rt class room	01	66 sqm				

Signature				
_	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

INFRASTRUCTUE	RE RE	QUIRE	MENT	FOR D	IPLOMA	COU	RSE IN PHAI	RMACY
Particulars		Number of N		nber of Minimum			Carpet Area	Remarks by
		oms		oms	Carpet A		available	Inspection
	rec	uired	ava	ilable	require			Team
т		TT			(as per P	CI)	13.7	X 7
Lecture Rooms		<u>II</u> 2			III		IV	V
Tutorial Rooms		1						
Total no. of Labs for 1 st		03						
year diploma		03						
Laboratory (other than	0.	per						
1 st year)		rse per						
		ear						
Machine Room		01						
Instrument Room (2 nd		01						
year)								
BASIC A	MENI	TIES FO	OR DIF	LOMA	COURSE	IN F	PHARMACY	
Toilets (Ladies & Gents)		0.	1	15	0 sqm			
Toilets for PWD		01						
Girls Common Room		01		75 sqm				
Boys Common Room		0	1	75	5 sqm			
Canteen/cafeteria (Desiral	ole)	0	1	15	0 sqm			
Stationary Store and reprography		01	1	10) sqm			
First aid-cum-sick room		0.	1	10) sqm			
Drinking water facility (w	ater	Adeq	uate					
cooler) essential		no	S.					
Principal's Quarters		Desir	able	15	0 sqm			
Guest House		Desir	able	30) sqm			
Sports Club / Gymnasium Playground	. /	Desir	rable	20	0 sqm			
Auditorium / Amphi Thea	iter	Desir	able	40	0 sqm			
Boys Hostel		Desir	able	Ad	equate			
Girls Hostel		Desir	able	Ad	equate			

Signature			
	Convener	Member-1	Member-2



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

COMPUTATIONAL, CCTV & LIBRARY FACILITIES

	COMPUTER FACILITIES									
	Particulars	Particulars		Required	l Availab	le	Sho	rtfall		marks by spection Team
	rs for Students									
	ia PC's in									
	eading Room									
	anguage Labor	atory	7							
Printers										
Internet B	andwidth									
Legal Sys	tem Software									
Legal App	plication Softw	are								
Multimed	ia Projector									
Reprographic Facilities (Photo Copier, Fax, Plotter, Scanner)										
			CC	TV CAMI	ERA DETA	ILS		1		1
Sr.No.	Examination	n	No. o	of CCTV	Working/N	lot	NVR	R/DVR	Re	emarks by
	Room Size	e	instal	led in the	Working	5	insta	lled or	Τr	nspection
			1	coom			r	not	11	-
										Team
				LIBRAI	RY DETAIL	S				
~	1									
Course	No. of	Title	es	No. of	Volumes		No. of	Journals		Remarks by
										Inspection Team
	Required	Ava	ilable	Required	Available	Re	quired	Availabl	6	Team
	-	7100	Паотс	Required	Tivaliable	ICC	quired	Tivaliaoi		
Pharmac	cy									
		<u> </u>								

NOTE:

- 1. Digital Library facility with multimedia facility is essential.
- 2. Reprographic and Document scanning facility in the library is essential.
- 3. Library books/ non books classification as per standard classification methods is essential.
- 4. Facilities to access the online courses is essential.
- 5. The institution shall be a member of National Digital Library. Aggregators shall also be used.

				8
Signature	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

LIBRARY BOOKS AND PERIODICALS

Subject wise Classification of Books:

Sr. No.	Subject	Avai	Remarks by	
SI. NO.	Subject	Titles	Numbers	Inspection Team
1.	Pharmaceutics – I			
2.	Pharmaceutical Chemistry – I			
3.	Pharmacognosy			
4.	Biochemistry and Clinical Pathology			
5.	Human Anatomy and Physiology			
6.	Health Education and Community Pharmacy			
7.	Pharmaceutics – II			
8.	Pharmaceutical Chemistry – II			
9.	Pharmacology and Toxicology			
10.	Pharmaceutical Jurisprudence			
11.	Drug Store and Business Management			
12.	Hospital and Clinical Pharmacy			

Signature				
•	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

EQUIPMENT AND APPARATUS

Laboratory wise List of Minimum equipment's required for D. Pharm

NOTE: Adequate numbers of glassware commonly used in the laboratory should be provided in each laboratory

PHA	RMACEUTICS				
Sr. No.	Name	Minimum required Nos.	Available Nos.	Working Yes/No	Remarks by Inspection Team
1.	Continuous Hot Extraction Equipment	05			
2.	Conical Percolator	05			
3.	Tincture Press	01			
4.	Hand Grinding Mill	01			
5.	Disintegrator	01			
6.	Ball mill	01			
7.	Hand operated Tablet machine	01			
8.	Tablet Coating Pan unit with hot air blower laboratory size	01			
9.	Polishing pan laboratory size	01			
10.	Monsanto's hardness tester	01			
11.	Pfizer type hardness tester	01			
12.	Tablet disintegration test apparatus IP	01			
13.	Tablet dissolution test apparatus IP	01			
14.	Granulating sieve set	10			
15.	Tablet counter – small size	05			
16.	Friability tester	01			
17.	Collapsible tube – Filling and sealing equipment	01			
18.	Capsule filling machine – Lab size	01			
19.	Digital balance	01			
20.	Distillation unit for distilled water	02			
21.	Deionisation unit	01			
22.	Glass distillation unit for water for injection	01			
23.	Ampoule washing machine	01			
24.	Ampoule filling and sealing machine	01			

Signature			
	Convener	Member-1	Member-2

25.	Sintered glass filters for proof filtration(four diffe			Ade	equate				
26.	Millipore filter (3 grades			Ade	equate				
27.	Autoclave			(01				
28.	Hot air sterilizer			(01				
29.	Incubator			(01				
30.	Aseptic cabinet			(01				
31.	Ampoule clarity test equ	iipme	ent	(01				
32.	Blender			(01				
33.	Sieves set (Pharmacopoo standard)	eial		(02				
34.	Lab Centrifuge			(01				
35.	Ointment slab			Ade	quate				
36.	Ointment spatula			Ade	quate				
37.	Pestle and mortar porcel	ain		Ade	quate				
38.	Pestle and mortar glass			Ade	quate				
39.	Suppository moulds of t	hree	sizes	Ade	quate				
40.	Refrigerator			(01				
PHAI	RMACEUTICAL CHEM	IIST	RY					•	
Sr. No.	Name	Minimum red Nos.		quired	d Available Nos.		rking s/No	Remarks by Inspection Team	
1.	Refractometer		01					1	- Cuiii
2.	Polarimeter		01						
3.	Photoelectric colorimeter		01						
4.	pH meter		01						
5.	Atomic model set		02						
6.	Electronic balance		01						
7.	Periodic table chart		Adequa	te					
PHYS	SIOLOGY & PHARMA	COL	OGY LA	ABORA	TORY	W.			
Sr. No.	Name	Minim required			Availa Nos		orking es/No	Insp	arks by ection eam
1.	Haemoglobinometer	20						1	Can
2.	Haemocytometer	10							
3.	Student's organ bath		1						
4.	Sherington's rotating drum		1						
5.	Frog board		Adequ	ıate					

Signature			
_	Convener	Member-1	Member-2

6.	Tray (dissecting)	Adequate		
7.	Frontal writing lever	Adequate		
8.	Aeration tube	Adequate		
9.	Telethermometer	1		
10.	Pole climbing apparatus	1		
11.	Histamine chamber	1		
12.	Simple lever	Adequate		
13.	Staring heart lever	Adequate		
14.	Aerator	Adequate		
15.	Histological Slides	Adequate		
16.	Sphygmomanometer (B.P. apparatus)	5		
17.	Stethoscope	5		
18.	First aid equipment	Adequate		
19.	Contraceptive device	Adequate		
20.	Dissecting (surgical) instruments	Adequate		
21.	Balance for weighing small Animals	1		
22.	Kymograph paper	Adequate		
23.	Actophotometer	1		
24.	Analgesiometer	1		
25.	Thermometer	Adequate		
26.	Plastic animal cage	Adequate		
27.	Double unit organ bath with thermostat	1		
28.	Refrigerator	1		
29.	Single pan balance	1		
30.	Charts	Adequate		
31.	Human skeleton	1		
32.	Anatomical specimen (Heart, brain, eye, ear, reproductive system etc.,)	1 set		
33.	Electro-convulsiometer	1		
34.	Stop watch	Adequate		
35.	Clamp, boss heads, screw clips	Adequate		
36.	Syme's Cannula	Adequate		

Signature			
	Convener	Member-1	Member-2

Sr. No.	Name	Minimum required Nos.	Available Nos.	Working Yes/No	Remarks by Inspection Team
1.	Projection Microscope	01			
2.	Charts (different types)	Adequate			
3.	Models (different types)	Adequate			
4.	Permanent Slides	Adequate			
5.	Slides and Cover Slips	Adequate			
PHARMA	ACY PRACTICE LABORA	TORY			
Sr. No.	Name	Minimum required Nos.	Available Nos.	Working Yes/No	Remarks by Inspection Team
1.	Colorimeter	2			
2.	Microscope	Adequate			
3.	Permanent slides (skin, kidney, pancreas, smooth muscle, liver etc.,)	Adequate			
4.	Watch glass	Adequate			
5.	Centrifuge	1			
6.	Biochemical reagents for analysis of normal and pathological constituents in urine and blood facilities	Adequate			
7.	Filtration equipment	2			
8.	Filling Machine	1			
9.	Sealing Machine	1			
10.	Autoclave sterilizer	1			
11.	Membrane filter	1 Unit			
12.	Sintered glass funnel with complete filtering assemble	Adequate			
13.	Small disposable membrane filter for IV admixture filtration	Adequate			
14.	Laminar air flow bench	1			
15.	Vacuum pump	1			
16.	Oven	1			
17.	Surgical dressing	Adequate			
18.	Incubator	1			

Signature			
	Convener	Member-1	Member-2

19.	PH meter	1		
20.	Disintegration test apparatus	1		
21.	Hardness tester	1		
22.	Centrifuge	1		
23.	Magnetic stirrer	1		
24.	Thermostatic bath	1		

MUSEUM

Every Institution shall maintain a museum of crude drugs, herbarium sheets, botanical specimens of the drugs, and plants, mentioned in the course in addition the following are recommended.

the drugs, and plants, mentioned in the course in addition the following are recommended.						
Sr. No.	Requirement Prescribed by PCI	Available/Not Available	Remarks by			
			Inspection Team			
1.	Colored slides of medicine plants.					
2.	Display of popular patent medicines, and					
3.	Containers of common usage in medicines.					

BASIC	BASIC AMENITIES TO BE PROVIDED IN ALL THE LABORATORIES							
Sr. No.	Amenities required	Available/Not Available	Remarks by Inspection Team					
1.	All the Laboratories should be well lit & ventilated							
2.	All Laboratories should be provided with basic amenities and services like exhaust fans and fume chamber to reduce the pollution wherever necessary.							
3.	The workbenches should be smooth and easily cleanable preferably made of non - absorbent material.							
4.	The water taps should be non-leaking and directly installed on sinks. Drainage should be efficient.							
5.	Balance room should be attached to the concerned laboratories.							
6.	Fire extinguishers shall be provided inside and outside the laboratory.							
7.	Flooring of the lab shall be non-skid and non-static.							
8.	S.O.P.for all the equipment and system must be prepared and properly displayed near the respective machine.							
9.	All the electrically operated machinery should be properly earthed and bonded.							

				14
Signature				
	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

STUDENT RELATED INFORMATION

ACA	ACADEMIC PERFORMANCE OF LAST YEAR							
Sr.	Course	Year	Sanctioned	No. of	Number	Students	Pass	Remarks by
No.			intake	students	of	Passed	Percentage	Inspection
				admitted	students			Team
					Appeared			
					in Board			
					Exams			
					A	Number	(B/A)*100	
						(B)		
	D	1 st						
1.	Pharmacy	year						
		2 nd						
	year							
Time	e Table of P	revious	and Curren	t Year				

COMPLIANCE REPORT

Action taken on deficiencies pointed in the previous Inspection reports and verification report.(*Add separate sheet for details*)

S.No.	Deficiencies/Shortcomings	Status of Compliance

ANY	OTHER	R OBSERVATI	ONS/COMMENT	TS OF THE INSP	ECTION	
COM	IMITTE	E				
						1
	Signature					

Member-1

Convener

Member-2



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

PART-B

1. Student Attendance Status:

Sr. No.	Name of Course	Year	Sanctioned Intake	No. of Admitted Students	No. of students present at the time of Inspection
1	D Pharmacy	1 st			
2	D Pharmacy	2 nd			

2. Staff Attendance Status: (Principal, Teachers, Librarian, Lab Technicians, etc.)

Sr. No.	Designation	Total Required as per sanctioned intake	No. Present at the time of Inspection

				16
Signature	Convener	Member-1	Member-2	



PLOT NO. 1-A, SEC. 36-A, CHANDIGARH PH.: 0172-2615385, 2622584-85 FAX: 2660734

PART-C

Summary and recommendation by Inspection Team:

Convener

•	Principal
•	Faculty
•	Library Staff and books, journals:
•	Infrastructure:
•	Laboratory
•	Computer and other Facilities
•	Other infrastructure and facilities
	Recommendations of the committee (Recommended/Not Recommended for Approval)
	1 Signature

Member-1

Member-2